Abbreviations: ? = Data has not been obtained at this time; - = not applicable; AG = Aktiengesellschaft (incorporated); Assn. = Association; BASF = Badische Anilin- & Soda Fabrik AG; BCOP = Bovine Corneal Opacity and Permeability; CASRN = Chemical Abstracts Service Registry Number; CC = Conjunctival Chemosis; Co. = Company; CO = Corneal Opacity; Conc. = concentration; Corp. = Corporation; CR = Conjunctival Redness; CTFA = Cosmetic, Toiletries and Fragrance Association; D = Day; ECETOC= European Center for Ecotoxicology and Toxicology of Chemicals; GmbH = Gesellschaft mit beschränkter Haftung (Inc.); GSK = Glaxo Smith-Kline; HET-CAM = Hen's Egg Test- Chorioallantoic Membrane; ICE = Isolated Chicken Eye; IRE = Isolated Rabbit Eye; ISOPA = European Diisocyanate and Polyol Producers Association; I = Iritis; Lab. = Laboratory; LNS= Laboratoire National de la Sante; Log Kow = octanol/water partition coefficient; Ltd. = Limited; LLC = Limited Liability Company; MeSH = Medical Subject Headings, information on chemical class criteria can be obtained at www.nlm.nih.gov/mesh; MG CU/ M = Milligrams Per Cubic Meter; MMAS = Modified Maximum Average Score; the highest (maximum) average of the individual animal weighted scores for observation times greater than or equal to 24 hours after test substance instillation.; MW = molecular weight; n = number of animals; n.a. = not available; noncorrosive = not classified as a dermal corrosive; NIHS-Ohno = National Institute of Health Sciences, Japan, Yasuo Ohno; PPM = Parts Per Million; R34 = causes burns; R35 = causes severe burns; SCNM = Study Criteria Not Met; (H) = classification based on inducing severe ocular damage in humans; TNO-Prinsen = Institute CIVO, Menk Prinsen; TSCA = Toxic Substances Control Act; ZEBET = German Center for Documentation and Evaluation of Alternative Methods to Animal Experiments; X = Where a substance has been tested in BCOP, HET-CAM, ICE, or IRE, the presence of an "X" indicates that the substance has been tested in the proposed version of this test method.

NICEATM Cat. 1 Subcat. = Category 1 subcategories = NICEATM-assigned subcategories for GHS Category 1 substances (ocular corrosives and severe irritants) were assigned based on the following: 0 = not classifiable; 1 = positive response based on a persistent lesion involving the cornea, iris, and/or conjunctiva through to day 21 in at least one of three rabbits and not on severity; 2 = positive response based on mean for first 3 days (corneal opacity [CO] score >3 and <4 or iritis [IR] score >1.5) in at least two of three rabbits but lesions do not persist through day 21; 3 = positive response based on mean for first 3 days (CO >3 and <4 or IR >1.5) in at least two of three rabbits and a persistent (>21 days) lesion in at least one rabbit; 4 = CO score of 4 at any time in at least one of three rabbits

"100 mg or 0.1 mL" indicates studies which were conducted according to Draize, but for which the amount tested was not provided in the study information provided or obtained.

| Reference Number | Reference |
|---------------------|--|
| 1 | American Conference of Governmental Industrial Hygienists. 2001. Documentation of threshold limit values for chemical substances and physical agents and biological exposure indices for 2001. Cincinnati, OH. |
| 2 | Berg, E.F. 1971. Retrobulbar neuritis. A case report of presumed solvent toxicity. Ann Ophthalmol 3(12): 1351 passim. |
| 3 | Bron AJ, Daubas P, Siou-Mermet R, Trinquand C. 1998. Comparison of the efficacy and safety of two eye gels in the treatment of dry eyes: Lacrinorm and Viscotears. Eye. 12:839-47. |
| 4 | Browning E. 1965. Toxicity and Metabolism of Industrial Solvents. Vol 3. New York: American Elsevier,12:839-847. |
| 5 | Clayton GD, FE Clayton eds.1993. Patty's Industrial Hygiene and Toxicology. Volumes 2A, 2B, 2C, 2D, 2E, 2F: Toxicology. 4th ed. New York, NY: John Wiley & Sons Inc. |
| 6 | Clayton GD, FE Clayton eds. 1994. Patty's Industrial Hygiene and Toxicology. Volumes 2A, 2B, 2C, 2D, 2E, 2F: Toxicology. 4th ed. New York, NY: John Wiley & Sons Inc. |
| 7 | Goodman, LS, Gilman A. eds. 1975. The Pharmacological Basis of Therapeutics. 5th ed. New York: Macmillan Publishing Co., Inc. |

- Gosselin RE, Hodge HC, Smith RP, Gleason MN. 1976. Clinical Toxicology of Commercial Products. 4th ed. Baltimore, MD:Williams and Wilkins.
- Gosselin RE, Smith RP, Hodge HC. 1984. Clinical Toxicology of Commercial Products. 5th ed. Baltimore, MD:Williams and Wilkins.
- Grant, WM. 1974. Toxicology of the Eye. 2nd ed. Springfield, IL: Charles C. Thomas.
- Grant, WM. 1986. Toxicology of the Eye. 3rd ed. Springfield, IL: Charles C. Thomas.
- Hayes and Laws, Handbook of Pesticide Toxicology. 1991.
 - Encyclopedia of Occupational Health and Safety Vols. I&II. 1983. International Labour Office. Geneva,
- 13 Switzerland:Parmeggiani, Luigi.
 - Reisman DJ. 1998. International Programme on Chemical Safety (IPCS) Environmental Criteria 207:
- Acetone under the joint sponsorship of the United Nations Environment Programme, the World Health Organization. Environmental Health
 - Kearney PC, DD Kaufman eds. 1975. Herbicides: Chemistry, Degradation and Mode of Action.
- Volumes 1 and 2. 2nd ed. New York:Marcel Dekker, Inc.:1-1213.
 - Kirk-Othmer Encyclopedia of Chemical Technology 3rd ed. 1978. Kroschwitz J eds. New York, NY:
- John Wiley and Sons.
- Lewis, RJ. 1996. Sax's Dangerous Properties of Industrial Materials. 9th ed. Volumes 1-3. New York, NY: Van Nostrand Reinhold.

 Mackison FW. Stricoff RS. Partridge, L.J Jr. eds. 1981. NIOSH/OSHA Occupational Health
- Guidelines for Chemical Hazards. DHHS(NIOSH) Publication No. 81-123. Washington, DC: U.S. Government Printing Office, 1-46.
- Morgan DP.1988. Recognition and Management of Pesticide Poisonings. 4th ed. Washington DC:US Environmental Protection Agency. 1-270.
- Patty F. ed. 1963. Industrial Hygiene and Toxicology: Volume II: Toxicology. 2nd ed. New York: Interscience Publishers. 1-1091.
- Raymond LW, et al. 1998. Eruptive cherry angiomas and irritant symptoms after one acute exposure to
- the glycol ether solvent 2-butoxyethanol. Journal of Occupational Environmental Medicine. 40 (12):1059-64.
- Rom WN ed. 1992. Environmental and Occupational Medicine. 2nd ed. Boston, MA: Little, Brown and Company, 1-684.
- Sax NI. 1984. Dangerous Properties of Industrial Materials. 6th ed. New York, NY: Van Nostrand Reinhold, 1-3735.
- Sittig M. 1985. Dangerous Properties of Industrial Materials and Carcinogens, 2nd ed. Park Ridge, NJ: Noyes Data Corporation, 1-881.
- Tabor E, et al.1989. Corneal damage due to eye contact with chlorhexidine gluconate. JAMA, 261:557-8.
- Anonymous. 2002. Risk assessment of sodium perborate mono-and tetrahydrate. Brussels. Human and Environmental Risk Assessment The HERA Project, 1-52
- U.S. Coast Guard, Department of Transportation. 1984. CHRIS Hazardous Chemical Data. Volume II. Washington, D.C.: U.S. Government Printing Office.
- US EPA. 1996. Reregistration Eligibility Decision Facts Chlorhexidine diacetate. EPA-738-F-96-025. Washington D.C: U.S. Environmental Protection Agency.
- Rij van, Beekhuis G, Eggink WH, Geerards CA, Remeijer AJ, Pels L. 1995. Toxic keratopathy due to the accidental use of chlorhexidine, cetrimide and cialit. Doc Ophthalmol 90:7-14.
- World Health Organization/International Programme on Chemical Safety.1998. Concise International Chemical Assessment Document No. 10. 2-Butoxyethanol: 1-29.
- Anders N, et al. 1997. Inadvertent use of chlorhexidine instead of balanced salt solution for intraocular irrigation. J Cataract Refract Surg 23: 959-62.

- Thienes C, Haley TJ.1972. Clinical Toxicology. 5th ed. Philadelphia, PA: Lea and Febiger 1:212.
- Braker W, Mossman A, Matheson M. 1980 Gas Data Book 9th Ed (GPSA editorial Review Board, eds.). Tulsa, OK:Gas Processors Association.
- NIOSH. 1979. Criteria Document: Ammonia DHEW. Pub. NIOSH 74-136. Washington, DC: National Institute for Occupational Safety and Health.
- Prager JC. 1995. Environmental Contaminant Reference Databook Volume 1. New York, NY: Van Nostrand Reinhold.
- Haddad LM. 1990. Clinical Management of Poisoning and Drug Overdose. 2nd ed. Philadelphia, PA: W.B. Saunders Co.
- Duncalf D.1975. Anesthesia and intraocular pressure. Bull,NY: Acad. Med., 51.
- Gilman, AG, Goodman LS, Gilman A, eds. 1980. The Pharmacological Basis of Therapeutics. 6th ed., New York, NY: Macmillan.
- Hovland, KR.1971. Effects of drugs on aqueous humor dynamics. Int. Ophthalmol. Clin.11(2):99-119.
- 40 Smith MB. 1976. Handbook of Ocular Toxicity. Acton, England: Publishing Sciences Group.
- Tripathi RC, Tripathi BJ. 1982. The eye. In Riddell, R.H. Pathology of Drug-Induced and Toxic Diseases. New York, NY:Churchill Livingstone.
- NIOSH. 1983. Hazard Evaluations and Technical Assistance Branch. Report No. HETA-83-020-1351. Washington, DC:National Institute for Occupational Safety and Health.
- NIOSH. 1991. Health Hazard Evaluation Report. HETA 89-057-2003. Washington, DC: National Institute for Occupational Safety and Health.
- Shingleton, BJ, Hersh, PS, Kenyon, KR. 1991. Eye Trauma, Chapter 7 Chemical Injuries. Mosby Year Book. St. Louis, MO:1-427.
 Pfister RR. 2005 Chemical Trauma in Smolin and Thoft's the Cornea: Scientific Foundations and
- Clinical Practice. In Foster, C.S., Azar, D.T., Dohlman, C.H. eds. New York, NY: Lippincort Williams & Wilkins.
- 46 Sano Y, et al. 1988 Jpn J Plast Reconstr Surg 31 (9), 811-814.
- Dreisbach RH. Robertson WO. 1987 Handbook of Poisoning. 12th ed. Norwalk, CT: Appleton and Lange.
- Bartley G.B.. 1992 Argyrosis secondary to a silver extraocular muscle clip. Arch. Ophthalmol. 110(5):596.
- Brick DC. 1995 Medication errors result in costly claims for ophthalmologists. Surv. Ophthalmol. 40(3):232-236.
- Burstein NL. 1980. Corneal cytotoxicity of topically applied drugs, vehicles and preservatives. Survey of Ophthalmology. 25(1):15-30.
- NIOSH. 1974. Criteria Document: Sulfuric acid p.29 DHEW Pub. NIOSH 74-128. Washington, DC. National Institute for Occupational Safety and Health.
- The Merck Index. 10th ed. 1983 Rahway, New Jersey: Merck Co., Inc.
- Sullivan, J.B. Jr., G.R. Krieger, eds. 1992 Hazardous Materials Toxicology-Clinical Principles of Environmental Health. Baltimore, MD: Williams and Wilkins
- National Fire Protection Association. 1997. Fire Protection Guide to Hazardous Materials. 12 ed. Quincy, MA:49-100.

 Material Safety Data Sheet: Ammonia. Available:
- http://www.mednets.com/index.cfm/fuseaction/articles_ammonia_poisoning_and_exposure_toxicology-Ammonia [accessed 12 July 2005].
- Rungby J.1986. The silver nitrate prophylaxis of Crede causes silver deposition in the cornea of experimental animals. Experimental Eye Research 42(1): 93-4.
- McCraken J., Burger PC, Klintworth, GK 1979. "Morphoologic observations on experimental corneal vascularizarizarion in the rat." Lab Invest 41(6): 519-30.

- Wenk H, Honda CN. 2003. Silver nitrate cauterization: characterization of a new model of corneal inflammation and hyperalgesia in rat. Pain 105(3): 393-401.
 - Griffith J, Nixon GA, Bruce RD, Reer PJ, Bannan EA. 1980. Dose-response studies with chemical
- 60 irritants in the albino rabbit eye as a basis for selecting optimum testing conditions for predicting hazard to the human eye. Toxicology and Applied Pharmacology 55(3):501-513.
- Williams S.1984. Prediction of ocular irritancy potential from dermal irritation test results. Food and Chemical Toxicology. 22(2):157-61.
- Torkelson T, Oyen F, Rowe VK. 1976. The toxicity of chloroform as determined by single and repeated exposure of laboratory animals. American Industrial Hygiene Association Journal. 37(12): 697-705.
- Clarke ML, Harvey DG, Humphreys D J. 1981. Veterinary Toxicology. 2nd ed. London: Bailliere Tindall: 25.